CHIROPRACTIC HOME EXERCISE PROGRAM

The following exercises are provided to enhance your chiropractic care by restoring range of motion and strengthening stabilizing spinal muscles. Please be sure to perform these exercises slowly and controlled to avoid further injury. Here are some important things to remember for a successful program:

- The programs are designed in phases and arranged according to spinal levels. Phase 1 focuses on range of motion. Phase 2 is an intermediate phase. Phase 3 focuses on stabilization. Start by performing the exercises located under the spinal level where your number one complaint of pain is located.
- If you have moderate to severe pain or are lacking a great deal of motion, start with Phase 1 exercises.
- If you have mild to moderate pain or some limitations in motion, advance to Phase 2. (Perform both Phase 1 and 2.)
- If you have mild pain without any motion limitations, advance to Phase 3. (Perform Phase 1, 2, and 3 exercises.)
- If you experience pain or soreness that persists for more than two hours following exercising, regress to the previous phase of exercises for a few days. Advance when pain/discomfort has subsided.
- Perform these exercises every day, 2-3 times per day.

CERVICAL EXERCISES

PHASE 1		Look forward. Bend your head forward, bring chin toward your chest. Hold and count to 5. Repeat 10 times.
PHASE 1		Look forward. Bend your head back, look toward ceiling. Hold and count to 5. Repeat 10 times.
PHASE 1		Look forward. Slowly look to the right. Hold and count to 5. Repeat 10 times. Repeat steps looking to the left.
PHASE 2		Look forward. Tilt your head so that your ear moves toward your shoulder. Hold for 30 seconds. Repeat other side.
PHASE 2		Turn head and look in the direction of your armpit. Hold for 30 seconds. Repeat on the other side. For an aggressive stretch, place hand on the top of your head and gently pull.
PHASE 2	· A	Look forward. Retract head back keeping chin and eyes level. Hold for 5 seconds. Repeat 10 times. (Also for Posture)
PHASE 3	TO TO	Place palm against forehead. Gently push forehead into your palm. Hold for 5 seconds. Repeat 10 times.
PHASE 3		Place palm behind your head. Gently press back of your head into your palm. Hold for 5 seconds. Repeat 10xs.
PHASE 3		Place palm at the side of your temple. Gently push head into your palm. Hold for 5 seconds. Repeat 10 times.

THORACIC EXERCISES

PHASE Sitting, reach across yo	ur
1 body toward the oppos	ite
side of the chair. Hold	
seconds, Repeat 10 tim	
**Perform both direction	
PHASE Press/squeeze shoulde	
1 blades together. Hold 5	
seconds. Repeat 10 tim	
Seconds. Repeat 10 till	
(4) (9) (1)	
PHASE Shrug shoulders up tow	ard
1 ears. Hold 5 seconds.	
Repeat 10 times.	
\\ 	
PHASE Lie down with arms bel	nind
2 head and elbows out. F	ush
elbows down into the	
surface. Hold 5 second	s.
Repeat 10 times. **If e	bows
do not touch the surface,	
pillow or towel underneat	h
elbows. (Also for Posture)	
PHASE Stand arm's length from	
2 wall with arms shoulde	
length apart. Press bod	•
into wall as if you are d	oing
a push up. Hold 5 secon	ıds.
Repeat 10 times.	
PHASE ↑ Lie down with arm	-
2 extended toward ceilin	g.
Keep elbow straight an	d
punch up toward ceilin	g.
Hold 5 seconds. Repeat	10
times. **Add light weigh	
when able.	
PHASE Lie on stomach, arms a	t
2 side. Lift arms up. Hold	
seconds. Repeat 10 tim	
**Add light weights when	
DUACE	
PHASE Lie on stomach, arms o	
side. Lift arms up – squ	
between shoulder blad	
Hold 5 seconds. Repeat	
times. **Add light weigh	:S
when able.	
PHASE Lie on stomach, arms o	
2 straight above head, wi	τη
thumbs up toward ceili	_
Lift arms up from the fl	oor.
Lift arms up from the fl Hold 5 seconds. Repeat	oor. 10
Lift arms up from the fl	oor. 10

MORE EXERCISES INCLUDED ON BACK SIDE →

CHIROPRACTIC HOME EXERCISE PROGRAM - (CONTINUED)

- If you have moderate to severe pain or are lacking a great deal of motion, start with Phase 1 exercises.
- If you have mild to moderate pain or have some limitations in motion, advance to Phase 2. (Perform Phase 1 and 2.)
- If you have mild pain without any motion limitations, advance to Phase 3. (Perform Phases 1, 2, and 3 exercises.)
- If you experience pain or soreness that persists for more than two hours following exercising, regress to the previous phase of exercises for a few days. Advance when pain/discomfort has subsided.
- Perform these exercises every day, 2-3 times per day.

LUMBAR EXERCISES

PHASE 1	E S	Lie on back with both legs straight. Lift one leg to chest. Hold 30 seconds. Repeat on other side.
PHASE 1	(5-(3-5)	Lie on back. Bring both legs up to chest. Hold 30 seconds.
PHASE 1		Lie on back with knees bent and together. Slowly rotate legs side to side in a pain free range of motion. Repeat 10 times.
PHASE 2		Lie on back with legs straight. Bring one knee up and hold behind knee. Slowly raise foot toward ceiling. Hold 30 seconds. Now move ankle back and forth.
PHASE 2	START FINISH	Lie with both knees bent. Tighten abdominals and buttocks and press lower back into surface. Hold 5 seconds. Repeat 10 times.
PHASE 2		Lie with both knees bent. Lift buttocks off surface. Hold 5 seconds. Repeat 10 times.
PHASE 3	En	Lie with knees bent. Push right hand into right knee and meet resistance. Hold 5 seconds. Repeat 10 times. Also perform this exercise on the left side. **You can also push your hand into the opposite knee. (ie. Right hand into left knee)
PHASE 3	E	Lie with knees bent. Bring one knee up to position while keeping low back pressed into surface. Hold 5 seconds. Switch legs. Perform 10 times.
PHASE 3		Lie on your stomach. Raise body up onto elbows and toes as shown. Hold 15-30 seconds. Repeat 5 times. **Easier = Raise body up on elbows and knees. Harder = Extend arms.

POSTURAL EXERCISES

